

The RoomReady Set is a wall mounted AV rack that neatly houses audiovisual equipment behind the display. The RoomReady Set makes installation faster and easier, and all AV components are easily accessible for servicing. The RoomReady Set is available in 5 sizes to accommodate various solution needs. The Standard version features six rack units, and is intended for mounting above furniture. The Slim version can achieve ADA requirements of 4" (10.16cm) depth with the use of certain displays and is intended for use in egress pathways and with no furniture under the display.

RoomReady Set

PRODUCT DATA SHEET

Key Features & Benefits:

- Eliminates the costly need to run cables through ceilings and walls to an AV rack.
- Provides external wall support and eliminates the need to install internal wall backing.**
- Multiple mounting holes allow Set to be centered on the wall regardless of stud location.
- Patented open design allows cooling by in-room HVAC, eliminates the need for active cooling system.
- Articulating mounts extend out for technicians to easily access equipment for servicing.

TECHNICAL SPECIFICATIONS

| | 49"+ STANDARD | 49"+ SLIM | 65"+ STANDARD | 65"+SLIM | 84"+ STANDARD |
|--|---------------------------|--------------------------|---------------------------|--------------------------|----------------------------|
| DIMENSIONS (in) | 42.27" X 23.87" X 4.67" | 42.44"X 24.88" X 2.00" | 56.38" X 31.25" X 4.75" | 56.38" X 31.25" X 2.50" | 70.00" X 42.00" X 4.75" |
| DIMENSIONS (mm) | 1073.65 X 606.22 X 118.69 | 1077.91 X 631.83 X 50.80 | 1442.13 X 793.86 X 120.65 | 1431.93 X 793.75 X 63.50 | 1778.00 X 1066.80 X 120.65 |
| NUMBER OF RACK UNITS | 6 | 0 | 6 | 0 | 6 |
| WEIGHT (lb) | 25 lb | 29 lb | 52 lb | 49 lb | 95 lb |
| WEIGHT (kg) | 13.2 kg | 11.3 kg | 23.6 kg | 22.2 kg | 43.1 kg |
| MIN # OF STUDS REQUIRED | 2 | 2 | 3 | 3 | 3 |
| DISPLAY SIZE COMPATIBILITY (IN) | 49.00" - 65.00" | 49.00"- 65.00" | 65.00" - 84.00" | 65.00"- 84.00" | 84.00" - 110.00" |
| DISPLAY SIZE COMPATIBILITY(M) | 1m 24cm - 1m 65cm | 1m 24cm - 1m 65cm | 1m 63cm - 2m 11cm | 1m 63cm - 2m 11cm | 2m 11cm - 2m 79cm |
| DISPLAY WEIGHT LIMIT (lb) | 125 lb | 125 lb | 125 lb | 125 lb | 300 lb |
| DISPLAY WEIGHT LIMIT (kg) | 56.7 kg | 56.7 kg | 56.7 kg | 56.7 kg | 136.1 kg |
| ADDITIONAL MOUNT REQUIRED | PEERLESS SUA771PU | PEERLESS SUA771PU | PEERLESS SUA771PU | PEERLESS SUA771PU | PREMIER AM-300B |
| MATERIAL | 12-GAUGE STEEL | 12-GAUGE STEEL | 12-GAUGE STEEL | 12-GAUGE STEEL | 12-GAUGE STEEL |
| FINISH | MATTE BLACK POWDER COAT | MATTE BLACK POWDER COAT | MATTE BLACK POWDER COAT | MATTE BLACK POWDER COAT | MATTE BLACK POWDER COAT |
| MFR PART # | SET-49-STANDARD-P | SET-49-SLIM-P | SET-65-STANDARD-P | SET-65-SLIM-P | SET-84-STANDARD |
| WESCO # | 10587531 | 10587532 | 10587533 | 10587534 | 1053981 |
| ADA COMPLIANT* | NO | YES* | NO | YES* | NO |


*WITH THE USE OF CERTAIN DISPLAYS.

**WITH APPROVAL FROM SITE'S STRUCTURAL ENGINEER.

[R] room•ready™
We innovate. You collaborate.

For more information
Visit us at www.roomready.com
Contact us by email: sales@roomready.com

© 2025 RoomReady
ALL RIGHTS RESERVED
U.S. Patent No. 9,644,787
06/2025




- FEATURES:**
- Provides external wall support and eliminates the need to install internal wall backing.**
 - Can be centered on the wall regardless of stud location
 - Patented open design allows cooling by in-room HVAC so no need for active cooling system.
 - Additional articulated mounts extend out for tech to access equipment for servicing.
 - 49"+ Standard is for mounting above furniture or in non-egress pathways.

| SPECIFICATIONS | |
|----------------------------|--|
| DIMENSIONS | 42.27" X 23.87" X 4.67" (1073.65mm X 606.22 X 118.69) |
| NUMBER OF RACK UNITS | 6 |
| WEIGHT | 25 LB (11.3 kg) |
| MIN # OF STUDS REQUIRED | 2 |
| DISPLAY SIZE COMPATIBILITY | 49"- 65" 1m 24cm - 1m 65cm |
| DISPLAY WEIGHT LIMIT | 125 LB (34.1 KG) |
| ADDITIONAL MOUNT REQUIRED | PEERLESS SUA771PU |
| MATERIAL | 12-GAUGE STEEL |
| FINISH | MATTE BLACK POWDER COAT |
| MFR PART # | SET-49-STANDARD-P |
| WESCO # | 10587531 |
| ADA COMPLIANT | NO |

**WITH APPROVAL FROM SITE'S STRUCTURAL ENGINEER.

ROOMREADY SET - 49"+ STANDARD DIMENSIONAL DRAWINGS






- FEATURES:**
- Provides external wall support and eliminates the need to install internal wall backing.**
 - Can be centered on the wall regardless of stud location
 - Patented open design allows cooling by in-room HVAC so no need for active cooling system.
 - The Chief TS218SU articulating mount allows for tech to access equipment for servicing behind the display.
 - 49"+ Slim can achieve ADA requirements of 4" (10.16cm) depth with the use of certain displays and is intended for use in egress pathways and with no furniture under the display.

| SPECIFICATIONS | |
|----------------------------|--|
| DIMENSIONS | 42.44"X 24.88" X 2.00" (1077.91mm X 631.83 X 50.80) |
| NUMBER OF RACK UNITS | 0 |
| WEIGHT | 29 LB (13.2 KG) |
| MIN # OF STUDS REQUIRED | 2 |
| DISPLAY SIZE COMPATIBILITY | 49"- 65" (1m 24cm - 1m 65cm) |
| DISPLAY WEIGHT LIMIT | 125 LB (56.7 KG) |
| ADDITIONAL MOUNT REQUIRED | PEERLESS SUA771PU |
| MATERIAL | 12-GAUGE STEEL |
| FINISH | MATTE BLACK POWDER COAT |
| MFR PART # | SET-49-SLIM-P |
| WESCO # | 10587532 |
| ADA COMPLIANT | YES* |

*WITH THE USE OF CERTAIN DISPLAYS.
**WITH APPROVAL FROM SITE'S STRUCTURAL ENGINEER.

ROOMREADY SET - 49"+ SLIM DIMENSIONAL DRAWINGS






FEATURES:


- Provides external wall support and eliminates the need to install internal wall backing.**
- Can be centered on the wall regardless of stud location
- Patented open design allows cooling by in-room HVAC so no need for active cooling system.
- Additional articulated mounts extend out for tech to access equipment for servicing.
- 65"+ Standard is for mounting above furniture or in non-egress pathways.

| SPECIFICATIONS | |
|----------------------------|--|
| DIMENSIONS | 56.38" X 31.25" X 4.75" (1442.13mm X 793.86 X 120.65) |
| NUMBER OF RACK UNITS | 6 |
| WEIGHT | 52 LB (23.6 KG) |
| MIN # OF STUDS REQUIRED | 3 |
| DISPLAY SIZE COMPATIBILITY | 65"-84" 1m 63cm-2m 11cm |
| DISPLAY WEIGHT LIMIT | 125 LB (56.7 KG) |
| ADDITIONAL MOUNT REQUIRED | PEERLESS SUA771PU |
| MATERIAL | 12-GAUGE STEEL |
| FINISH | MATTE BLACK POWDER COAT |
| MFR PART # | SET-65-STANDARD-P |
| WESCO # | 10587533 |
| ADA COMPLIANT | NO |

**WITH APPROVAL FROM SITE'S STRUCTURAL ENGINEER.

ROOMREADY SET - 65"+ STANDARD DIMENSIONAL DRAWINGS







- FEATURES:**
- Provides external wall support and eliminates the need to install internal wall backing.**
 - Can be centered on the wall regardless of stud location
 - Patented open design allows cooling by in-room HVAC so no need for active cooling system.
 - Additional articulated mounts extend out for tech to access equipment for servicing.
 - 65"+ Slim can achieve ADA requirements of 4" (10.16cm) depth with the use of certain displays and is intended for use in egress pathways and with no furniture under the display.

| SPECIFICATIONS | |
|----------------------------|---|
| DIMENSIONS | 56.38" X 31.25" X 2.50" (1431.93mm X 793.75 X 63.50) |
| NUMBER OF RACK UNITS | 0 |
| WEIGHT | 49 LB (22.2 KG) |
| MIN # OF STUDS REQUIRED | 3 |
| DISPLAY SIZE COMPATIBILITY | 65"-84" 1m 63cm-2m 11cm |
| DISPLAY WEIGHT LIMIT | 125 LB (56.7 KG) |
| ADDITIONAL MOUNT REQUIRED | PEERLESS SUA771PU |
| MATERIAL | 12-GAUGE STEEL |
| FINISH | MATTE BLACK POWDER COAT |
| MFR PART # | SET-65-SLIM-P |
| WESCO # | 10587534 |
| ADA COMPLIANT | YES* |

*WITH THE USE OF CERTAIN DISPLAYS.
**WITH APPROVAL FROM SITE'S STRUCTURAL ENGINEER.

ROOMREADY SET - 65"+ SLIM DIMENSIONAL DRAWINGS





- FEATURES:**
- Provides external wall support and eliminates the need to install internal wall backing.**
 - Can be centered on the wall regardless of stud location
 - Patented open design allows cooling by in-room HVAC so no need for active cooling system.
 - Additional articulated mounts extend out for tech to access equipment for servicing.
 - 84"+ Standard is for mounting above furniture or in non-egress pathways.

| SPECIFICATIONS | |
|----------------------------|---|
| DIMENSIONS | 70.00" X 42.00" X 4.75" (1778.00mm X 1066.80 X 120.65) |
| NUMBER OF RACK UNITS | 6 |
| WEIGHT | 95 LB (43.1 KG) |
| MIN # OF STUDS REQUIRED | 3 |
| DISPLAY SIZE COMPATIBILITY | 84.00" - 110.00" 2m 11cm - 2m 79cm |
| DISPLAY WEIGHT LIMIT | 300 LB (136.1 KG) |
| ADDITIONAL MOUNT REQUIRED | PREMIER AM-300B |
| MATERIAL | 12-GAUGE STEEL |
| FINISH | MATTE BLACK POWDER COAT |
| MFR PART # | SET-84-STANDARD |
| WESCO # | 1053981 |
| ADA COMPLIANT | NO |

**WITH APPROVAL FROM SITE'S STRUCTURAL ENGINEER.

ROOMREADY SET - 84"+ STANDARD DIMENSIONAL DRAWINGS

